

Jenbacher JMC 420 GS-BL Gas engine / Vioenergeiaki Thessalias biogas plant/ Thessaly, Greece

## Mobil Pegasus™ 605 Ultra 40 has improved ODI by 40% in Jenbacher J420 biogas engine\*

### Situation

Vioenergeiaki Thessalias is a 1,5 MW biogas plant that used to operate its Jenbacher J420 GS gas engine on a competitor oil with an average Oil Drain Interval (ODI) of 1000 operating hours. The company expressed the need to minimize the operating costs associated with the engine and to maximize its productivity.

### Recommendation

After running a Mobil Serv<sup>SM</sup> ODI Study, ExxonMobil & authorized distributor Novitron S.A. recommended the use of Mobil Pegasus™ 605 Ultra 40 in order to improve the ODI of the engine and reduce the operating and maintenance costs.

### Benefits\*

The outcome of the Mobil Serv<sup>SM</sup> program showed that the average Oil Drain Interval of Mobil Pegasus™ 605 Ultra 40 is 1400 operating hours, which translates to a 40% increase vs the competitor oil.

The upgrade to Mobil Pegasus™ 605 Ultra 40 also demonstrated excellent results in terms of equipment protection :

- Extraordinary Oxidation and Thermal Stability
- Excellent TBN Retention
- Superior Deposit Control and Wear Protection



Potential Annual Savings\* :

# 9,300 EUR



**9,300 €** Productivity Savings \*



**1,400** Liters less waste oil \*\*



**12 HOURS** Exposure Reduction \*

\*This Proof of Performance is based on the experience of a single customer. Actual results can vary depending upon the type of equipment used and its maintenance, operating conditions and environment, and any prior lubricant used.

\*\*Visit [mobil.eu](http://mobil.eu) to learn how certain Mobil-branded lubricants may provide benefits to help reduce environmental impact. Actual benefits will depend upon product selected, operating conditions and applications.

© 2023 Exxon Mobil Corporation. All rights reserved. Mobil, Mobil Pegasus and Mobil Serv are trademarks or registered trademarks of Exxon Mobil Corporation or one of its affiliates.